

TECHNICAL DATASHEET



Article: Style 490
Setting (Thr/cm): 9,0/9,0
Weave: Plain
Finish: loomstate

suter-kunststoffe ag
swiss-composite.ch
 CH-3312 Fraubrunnen 031 763 60 60 Fax 763 60 61

Construction:	Warp	Weft
Yarn material ¹⁾:	Carbon 1K	Carbon 1K
Yarn number ¹⁾:	67 tex	67 tex

Technical Data:		Unit	Target	+/-	Tolerance
Fibre density ^{1) 3)}	Warp	g/cm³	n.G.	+/-	n.G.
	Weft	g/cm³	n.G.	+/-	n.G.
Linear density ¹⁾	Warp	tex	67	+/-	4
	Weft	tex	67	+/-	4
Twist ¹⁾	Warp	T/m		+/-	
	Weft	T/m		+/-	
Setting	Warp	Thr./cm	9,0	+/-	0,4
	Weft	Thr./cm	9,0	+/-	0,4
Weave			Plain		
Weight		g/m²	120	+/-	5
Dry weight		g/m²	120	+/-	5
Moisture content		%	0,5	+/-	max.
Thickness ²⁾		mm	0,16	+/-	0,02
Width		cm	as ordered	+/-	1

¹⁾ = n.G. = depending on order and yarn specification

³⁾ = no measure, certified by supplier

²⁾ = approximate value, not for release

Remarks:

Date 01.09.2009	Q.A. Monika Dassel	This Datasheet does not include Revision Service.
-------------------------------	----------------------------------	--