Version: N°1 (15/02/2018) **SICOMIN Composites** 

SR 8160 - 1910

Date: 20/03/2018 Page 1/9

Revision: N°4 (15/02/2018)

## **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

#### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: SR 8160 Product code: 1910.

RESIN

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: resin

Uses advised against: data not available

#### 1.3. Details of the supplier of the safety data sheet

Registered company name: Suter Kunststoffe AG Address: Aefligenstrasse 3, CH-3312 Fraubrunnen

Telephone: +41 (0)31 763 60 60 Fax: +41 (0)31 763 60 61

e-mail: info@swiss-composite.ch

Site web: https://www.swiss-composite.ch

## 1.4. Emergency telephone number:.

Association/Organisation: ToxInfo Suisse, Tel. 145, International +41 (0)44 251 51 51

# Other emergency numbers

Health and Safety Executive (HSE) Chemicals Regulation Directorate - Telephone: +44 151 951 3317 - USA: +1/800/ 424.9300

## SECTION 2: HAZARDS IDENTIFICATION

# 2.1. Classification of the substance or mixture

## In compliance with EC regulation No. 1272/2008 and its amendments.

Skin sensitisation, Category 1B (Skin Sens. 1B, H317).

Germ cell mutagenicity, Category 2 (Muta. 2, H341).

Hazardous to the aquatic environment - Chronic hazard, Category 2 (Aquatic Chronic 2, H411).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

#### 2.2. Label elements

## In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms:







Signal Word:

WARNING Product identifiers:

PHENOL, 4,4-(1-METHYLETHYLIDENE)BIS-, POLYMER WITH (CHLOROMETHYL) OXIRANE CAS 36484-54-5 AND METHYLOXIRANE

Additional labeling:

**EUH205** Contains epoxy constituents. May produce an allergic reaction.

Hazard statements:

H317 May cause an allergic skin reaction. H341 Suspected of causing genetic defects. SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)

Version : N°1 (15/02/2018) SICOMIN Composites

## SR 8160 - 1910

Date: 20/03/2018 Page 2/9

Revision: N°4 (15/02/2018)

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements - Prevention:

P201 Obtain special instructions before use.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statements - Response:

P302 + P352 IF ON SKIN: Wash with plenty of water/...

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Precautionary statements - Disposal:

P501 Dispose of contents/container to ...

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.2. Mixtures

#### **Composition:**

Identification	(EC) 1272/2008	Note	%
CAS: 36484-54-5	GHS09, GHS07, GHS08	[2]	50 <= x % < 100
REACH: 01-2120737343-58-XXXX	Wng		
	Skin Sens. 1B, H317		
PHENOL,	Muta. 2, H341		
4,4-(1-METHYLETHYLIDENE)BIS-,	Aquatic Chronic 2, H411		
POLYMER WITH (CHLOROMETHYL)			
OXIRANE AND METHYLOXIRANE			

#### **Information on ingredients:**

[2] Carcinogenic, mutagenic or reprotoxic (CMR) substance.

# **SECTION 4: FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

#### 4.1. Description of first aid measures

## In the event of exposure by inhalation:

If inhaled, move the patient to fresh air and keep warm and rest.

Consult a doctor.

# In the event of splashes or contact with eyes:

Wash thoroughly with clean, fresh water for 15 minutes holding the eye open.

Flush with large amounts of water. Remove contact lenses if the victim is. Continue to rinse. Seek medical attention if symptoms persist.

# In the event of splashes or contact with skin:

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

Version : N°1 (15/02/2018) SICOMIN Composites

## SR 8160 - 1910

Date: 20/03/2018 Page 3/9

Revision: N°4 (15/02/2018)

#### In the event of swallowing:

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Seek medical attention immediately, showing the label.

Do not induce vomiting.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

# 4.3. Indication of any immediate medical attention and special treatment needed

#### Information for the doctor:

In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed personmay need to remain under medical supervision for 48 hours.

Contact a specialist for treatment poisoning if large quantities have been ingested or inhaled.

#### SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

## 5.1. Extinguishing media

#### Suitable methods of extinction

In the event of a fire, use:

- sprayed water or water mist
- foam
- carbon dioxide (CO2)

#### Unsuitable methods of extinction

In the event of a fire, do not use:

- water jet

## 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)
- nitrogen oxide (NO)
- nitrogen dioxide (NO2)

### 5.3. Advice for firefighters

Firefighters should wear suitable protective clothing and a respirator mask with self-full operated in positive pressure mode.

Wear conform with the European standard EN 469.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

## 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

# For non first aid worker

Avoid any contact with the skin and eyes.

Use personal protective equipment.

Keep away from sources of ignition

## For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)

Version: N°1 (15/02/2018) SICOMIN Composites

SR 8160 - 1910

Date: 20/03/2018 Page 4/9

Revision: N°4 (15/02/2018)

#### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

#### 6.4. Reference to other sections

No data available.

# **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

Individuals with a history of skin sensitisation should not, under any circumstance, handle this mixture.

#### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Local and ventilated workstations, observe the rules of personal hygiene to avoid contact with skin and eyes, wash hands before breaks and work stoppage.

#### Fire prevention:

Prevent access by unauthorised personnel.

#### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid exposure - obtain special instructions before use.

#### Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

# 7.2. Conditions for safe storage, including any incompatibilities

No data available.

## Storage

Store in original container protected from direct sunlight in a dry, cool and well ventilated area away from heat sources.

Keep container tightly closed in a dry place.

T°< 40°C

# **Packaging**

Always keep in packaging made of an identical material to the original.

# 7.3. Specific end use(s)

No data available.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1. Control parameters

No data available.

## 8.2. Exposure controls

Use only with adequate ventilation or provided with ventilation at the source.

## Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :







Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

#### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

Version: N°1 (15/02/2018) SICOMIN Composites

## SR 8160 - 1910

Date: 20/03/2018 Page 5/9

Revision: N°4 (15/02/2018)

#### - Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

#### - Body protection

Avoid skin contact.

Wear suitable protective clothing.

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

# - Respiratory protection

Anti-gas and vapour filter(s) (Combined filters) in accordance with standard EN14387:

Mask type ABEK

Attention! If the protection group is insufficient.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1. Information on basic physical and chemical properties

## General information:

Physical state: Viscous liquid.

Color: colorless to pale yellow

#### Important health, safety and environmental information

pH: Not relevant. Boiling point/boiling range: Not relevant. Flash Point:  $258.00\,^{\circ}\text{C}$ . Vapour pressure (50°C): Not relevant. Density:  $1.13\pm0.02\ @\ 20^{\circ}\text{C}$ 

Water solubility: Insoluble.

Melting point/melting range: Not relevant.

Self-ignition temperature: Not relevant.

Decomposition point/decomposition range: Not relevant.

# 9.2. Other information

No data available.

# **SECTION 10: STABILITY AND REACTIVITY**

#### 10.1. Reactivity

No data available.

## 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

#### 10.3. Possibility of hazardous reactions

No data available.

# 10.4. Conditions to avoid

Version: N°1 (15/02/2018) SICOMIN Composites

## SR 8160 - 1910

Date: 20/03/2018 Page 6/9

Revision: N°4 (15/02/2018)

#### 10.5. Incompatible materials

Keep away from:

- strong acids
- epoxides
- strong oxidising agents

#### 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1. Information on toxicological effects

May cause an allergic reaction by skin contact.

Based on the properties of the epoxy constituent(s) and considering toxicological data on similar preparations, this preparation may be a skin sensitiser and a respiratory tract sensitiser as well as an irritant.

Constituents with a low molecular weight irritate the eyes, mucous membranes and the skin

Repeated contact with the skin may cause irritation and hypersensitisation, possibly in combination with other epoxide compounds.

Cause for concern owing to the possibility that it may induce heritable mutations in the germ cells of humans.

#### 11.1.1. Substances

No toxicological data available for the substances.

#### 11.1.2. Mixture

#### Respiratory or skin sensitisation:

Contains epoxy compounds. May cause an allergic reaction.

# **SECTION 12: ECOLOGICAL INFORMATION**

Toxic to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

# 12.1. Toxicity

## **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

# 12.2. Persistence and degradability

No data available.

# 12.3. Bioaccumulative potential

No data available.

# 12.4. Mobility in soil

No data available.

# 12.5. Results of PBT and vPvB assessment

No data available.

# 12.6. Other adverse effects

No data available.

# German regulations concerning the classification of hazards for water $\left(WGK\right)$ :

WGK 3 (VwVwS vom 27/07/2005, KBws) : Extremely hazardous for water.

# **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

## 13.1. Waste treatment methods

Do not pour into drains or waterways.

## SR 8160 - 1910

Date: 20/03/2018 Page 7/9 Revision: N°4 (15/02/2018)

## Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

#### Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

# Codes of wastes (Decision 2014/955/EC, Directive 2008/98/EEC on hazardous waste):

08 04 11 \* adhesive and sealant sludges containing organic solvents or other dangerous substances

08 04 09 \* waste adhesives and sealants containing organic solvents or other dangerous substances

## **SECTION 14: TRANSPORT INFORMATION**

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2017 - IMDG 2016 - ICAO/IATA 2017).

#### 14.1. UN number

3082

## 14.2. UN proper shipping name

UN3082=ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(phenol, 4,4-(1-methylethylidene)bis-, polymer with (chloromethyl) oxirane and methyloxirane)

#### 14.3. Transport hazard class(es)

- Classification:



9

## 14.4. Packing group

Ш

#### 14.5. Environmental hazards

- Environmentally hazardous material:



## 14.6. Special precautions for user

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	9	M6	III	9	90	5 L	274 335 375 601	E1	3	-

Not subject to this regulation if  $Q \le 51/5 \text{ kg}$  (ADR 3.3.1 - DS 375)

IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ
	9	-	III	5 L	F-A,S-F	274 335 969	E1

Not subject to this regulation if Q <= 51/5 kg (IMDG 3.3.1 - 2.10.2.7)

IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ
	9	-	III	964	450 L	964	450 L	A97	E1
								A158	
								A197	
	9	-	III	Y964	30 kg G	-	-	A97	E1
								A158	
								A197	

Not subject to this regulation if  $Q \le 51/5 \text{ kg}$  (IATA 4.4.4 - DS A197)

Date: 20/03/2018 Page 8/9

Revision: N°4 (15/02/2018)

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available.

# **SECTION 15: REGULATORY INFORMATION**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### - Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2016/1179. (ATP 9)

#### - Container information:

No data available.

#### - Particular provisions :

No data available.

## - German regulations concerning the classification of hazards for water (WGK) :

WGK 3 (VwVwS vom 27/07/2005, KBws): Extremely hazardous for water.

# - Standardised American system for the identification of hazards presented by the product in view of emergency procedures (NFPA 704):

NFPA 704, Labelling: Health=2 Inflammability=3 Instability/Reactivity=1 Specific Risk=none



## 15.2. Chemical safety assessment

No data available.

## **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

## Wording of the phrases mentioned in section 3:

H317 May cause an allergic skin reaction.
 H341 Suspected of causing genetic defects .
 H411 Toxic to aquatic life with long lasting effects.

## Abbreviations:

CMR: Carcinogenic, mutagenic or reprotoxic.

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

GHS07 : Exclamation mark GHS08 : Health hazard

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)

Version: N°1 (15/02/2018) SICOMIN Composites

SR 8160 - 1910

Date : 20/03/2018 Page 9/9 Revision : N°4 (15/02/2018)

GHS09: Environment

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. SVHC: Substances of very high concern.